

SABRE 58 SALON EXPRESS 2026 MODEL YEAR

Length Overall	65' 4.5"	19.92 m
Hull Length (molded)	58' 9"	17.90 m
Beam Overall	16' 2"	4.92 m
Draft	4' 9"	1.49 m
Deadrise (at transom)	15 degrees	
Displacement (half load)	63,000 lbs	28600kg
Fuel capacity	800 USG	3028 L
Water capacity	230 USG	870 L
Holding tank capacity	100 USG	379 L
Headroom (maximum)	6' 6"	1.98 m
Sleep accommodations	6@6' 8"	6@2.03 m
Air Draft (w/mast)	19' 10"	6.05 m

Built to CE Category B, NMMA, ABYC & USCG standards.

HULL

- Modified deep "V" planing hull design.
- 15° deadrise at transom, 24° deadrise amidships.
- ISO NPG white gelcoat w/ vinyl ester resin.
- VIP resin infused biaxial E-glass w/ Corecell SAN foam core.
- Stringer system biaxial E-glass w/ foam core.
- Resin infused E-glass swim platform w/ molded-in anti-skid.
- Hull side rubbing strakes.
- PVC rub rail w/ stainless steel cap.
- Painted (Urethane) double boot top.
- Gold recessed cove stripe.

DECK & HARDTOP COMPOSITE

- ISO NPG gelcoat.
- VIP resin infused knitted biaxial structural e-glass reinforcements w/ balsa coring.
- Molded-in anti-skid deck surfaces.
- Single-glazed, recessed salon windows.
- Hardtop w/ electric sliding sunroof & integrated shade/screen combination.
- Custom Sabre FRP composite radar mast w/ powder-coated aluminum platforms.
- Double-sided anchor lockers w/ slam latches.
- Access hatch from aft cockpit to engine room w/ hydraulic lift.
- Forward-facing, center-aft cockpit seating w/ fixed table.

DECK HARDWARE

- 1 1/2" Diameter type 316 stainless steel perimeter rail system.
- (6) 12" Stainless steel cleats: two forward, four midship.
- (2) Stainless steel horn bollard cleats aft.
- (2) Stainless steel stern cleats.

- (1) 12" Stainless steel cleat to port of windlass chain stopper as anchor rode tie off.
- Custom stainless steel bow pulpit w/ anchor roller.
- 24v electric anchor windlass w/ controls at helm & foot switches on deck.
- Varnished teak ensign flagstaff aft.
- Burgee staff on the bow pulpit.
- Low-profile stainless steel hatches w/screens.
- Custom stainless steel opening port lights.
- Teak coaming cap rails.
- Teak cabin side eyebrow.
- Custom stainless steel Sabre logo.
- Sureshade ATF-SG retractable cockpit sun awning.
- Port & starboard transom access gates to cockpit.
- Salt water washdown system at bow.
- Freshwater washdown at bow.

HELM STATION

- Hinged access door to starboard side deck.
- Dual Volvo-Garmin 9219 Multi-Function Displays (MFDs) w/ Separate SD Card Readers.
- Volvo-Penta Autopilot w/ Joystick Driving.
- Volvo-Penta IPS Plus Joystick Controller on Stidd Armrest.
- Twin Lever Shift & Throttle Control (EVC-E) w/ Single Lever & Cruise Control Software.
- Triple windshield wipers w/ multiple speed settings.
- Windshield washers plumbed from the freshwater system.
- Kahlenberg dual chrome trumpet horn w/ the compressor.
- Ritchie Compass.
- Switch controls for horn, running lights, anchor light, engine room blowers, & bilge pumps.
- Custom teak steering wheel w/ tilt helm & Sabre logo.
- Twin Stidd N Series helm seats w/ Ultraleather® fabric
- Dual-color helm overhead lights, red & white.

STD. VOLVO PROPULSION SYSTEM & ENGINE ROOM

- Twin Volvo-Penta IPS 950 inboard propulsion systems w/ 24v electric shift transmissions & NiBrAl P-series duo-props
- Tier III emission certified.
- Pleasure craft rated VP D11, 725mhp @ 2500rpm engines.
- Integrated freshwater heat exchanger cooling system.
- Dual alternators per engine (4 total).
- Volvo-Penta 900mm Interceptor trim system w/ auto trim.
- Dynamic Positioning System (DPS).
- Active Corrosion Protection system (ACP).
- Volvo-Penta Clear Wake Exhaust bypass system (EVC controlled).
- Groco raw water intake strainers & safety sea valves.
- Oil change system for engines; pod drives; & generator.
- Engine room ventilation system 24v.
- Engine room intake mist-eliminating ducts on cabin house sides w/ stainless steel grilles.

- Gloss white engine room.
- Gloss white painted engines.
- *Mylar*-faced foam noise barrier.

FUEL SYSTEM

- (2) 400 USG diesel fuel tanks.
- (2) 10 μ Racor dual max 1000 turbine fuel filters.
- (2) 2" diesel stainless steel deck fill plates (1- port & 1- stbd.).
- Fuel level indicator at helm & tank sight gauges.

NMEA2000 NETWORK SYSTEM - SABRE SWITCHING

- Fully networked electrical system w/ digital switching & onboard Wi-Fi.
- Network monitoring & control of AC & DC electrical circuits.
- Backup/override of all network circuit faults.
- *Modes of Operation* - single push button activation of boat-wide circuits.
- (2) iPad Minis with Launch Ports for wireless control of network systems. (1) at mate's settee, & (1) in master stateroom.
- (1) Fixed network display in engine room.
- Network-controlled HVAC system.
- **Sabre Connect** telematics for remote, essential vessel monitoring & switching.
- Parallel NMEA 2000 backbone for dealer/OEM-installed navigational electronics network.

240/120VAC ELECTRICAL SYSTEM

- Twin 240/120 VAC 50Amp AC shore power system.
- (2) 85 ft. *Glendinning* cord reels aft.
- Polarization transformer & galvanic isolator w/ each standard shore power service.
- 21.5kW Onan generator w/ sound enclosures.
- Automatic AC switching system for shore & generator power.
- 3.5kW high output inverter w/ 120 Amp DC charger for ships batteries.
- 120V outlets in each cabin & one in engine room
- All accessible 120VAC outlets GFCI protected.
- 12 Amp (24vDC) battery charger for engine start batteries.
- 10 Amp (12vDC) battery charger for generator start battery.
- 120/240VAC distribution panels in engine room & adjacent to helm.

24VDC ELECTRICAL SYSTEM

- Dedicated 24vDC, *Lifeline* AGM 3100 engine starting battery banks for each engine (2-12volt batteries/engine).
- Dedicated 24vDC, 800Ah AGM deep cycle ship's service battery bank (8-6volt batteries).
- (1) AGM Group 34, 12vDC generator start battery.
- Dedicated 24VDC battery charger for engine battery banks.

- Helm remote controlled battery switches w/ manual override
- Automated emergency engine battery bank parallel switch.
- Illuminated main circuit breaker distribution.
- Digital battery monitoring for each bank.
- High-output, efficient LED lighting throughout the boat.
- Dimmers in cockpit, main salon, galley & staterooms
- Marine-grade, UL & ABYC standard tinned copper wire throughout.
- USB ports at the helm & in each cabin.
- LED Navigation lights
- Triple wiper/washer system

ENTERTAINMENT MEDIA

- *Fusion Apollo* Multi-Zone Stereo System with *Bluetooth*. Controls at helm & cockpit, six speakers: two in the galley, two in the main salon, & two in the cockpit.
- JL amplifier & 10" *Fusion* subwoofer.
- HDMI & CAT5E cables run from each TV to the electronics locker below companionway stairs.

WASTE DISPOSAL

- Polyethylene holding tank w/ 100 gal. capacity.
- Freshwater marine sanitation devices w/ white ceramic bowls.
- Diaphragm pump on holding tank to overboard sea valve.

FRESH WATER SYSTEM

- Water capacity approx. 230 gals.
- 20 gal. 240V hot water heater.
- (1) 240VAC *Headhunter Mach5* primary pump.
- (1) 24VDC secondary backup freshwater pump.
- Filters on freshwater pump system & shore water inlet.
- Fresh water spigot in engine room & in anchor locker.

MAIN SALON

- Stainless steel dual bifold door to cockpit w/ curved glass corner windows.
- U-shaped lounge port & straight settee to starboard w/ custom fabrics & drawers below.
- Fixed tables w/ starburst inlay & deep epoxy finish.
- Cabinet aft of mate seating w/ 43" HD LED TV on electric lift. Rotates.
- Bottle locker.
- Blinds on all salon fixed-glazed & curved corner windows (*excluding windshield*).
- Sound deadening headliner panels.
- Heat/Air Conditioning 48kBTU. (Combined galley/salon/helm).

GALLEY

- *Viatra* countertop - bull nosed edge overhangs cabinet below.
- 2-burner induction electric cook top.
- *Wolf* 24" drawer-style microwave oven (non-convection).
- Galley exhaust fan.

- 24" *Sub Zero* stainless Steel two-drawer fridge.
- 24" *Sub Zero* stainless steel two-drawer freezer w/ ice maker.
- Bank of dovetailed drawers.
- Toe kick space length of galley w/ courtesy lighting
- Stainless steel under-mounted sink w/ designer faucet.
- Pull-out waste basket.
- Dry storage outboard.

FORWARD/VIP STATEROOM

- Spacious low queen island berth layout w/ 9" mattress.
- Cherry hull ceilings.
- Drawers under bed.
- Aft segment of berth top opens to access blanket storage.
- Enclosed upper shelves to port & starboard of island berth w/ storage behind.
- Dimmable accent lighting below shelves & berth.
- Large cedar lined hanging locker to starboard w/ closet pole.
- Bureau to port w/ enclosed locker above.
- 32" Built in HD LED TV on forward facing bulkhead.
- Screen/Shade for all hatches.
- Private access to head/shower compartment.
- Heat/Air Conditioning 12kBTU (including day head).

FORWARD/DAY HEAD

- Dupont Corian countertop w/ recessed porcelain sink & faucet.
- Vanity cabinet below sink.
- Cabinet above vanity with mirror in the door.
- Private access from forward/VIP stateroom.
- Separate shower stall w/ clear acrylic divider.
- Custom tile in head & shower sole.
- Opening portlight to side deck.
- Deck hatch w/ blind/screen overhead.
- Storage lockers.
- Stainless steel towel bars.
- Ventilation fan.

GUEST/BUNK STATEROOM

- Double berth converts to separate twin berths with 6" foam *Sunbrella* mattresses.
- Cherry hull ceiling.
- Hanging locker forward.
- 32" HD LED TV on aft wall.
- Heat/Air Conditioning 12kBTU (including guest head).

GUEST HEAD

- Guest head forward of guest stateroom.
- Separate shower stall w/ clear acrylic divider.
- Custom tile in head & shower sole.
- Opening portlight to side deck.
- Dupont Corian countertop w/ recessed porcelain sink & faucet.
- Vanity cabinet below sink.
- Large wood-framed mirror over vanity.
- Inside of door mirrored.

- Stainless steel towel bars.
- Ventilation fan.

MASTER STATEROOM

- Spacious 76"x80" king island berth w/ 9" mattress & inlaid headboard.
- (6) Fixed hull ports w/ shades (3-port & 3-stbd.).
- Berth incorporates drawers & storage.
- Nightstands w/ drawers on both sides of bed.
- (2) Cedar-lined hanging lockers w/ shelves aft of bed.
- 50" HD LED TV.
- Washer & dryer in vestibule.

MASTER STATEROOM HEAD

- Exclusive access to master head from master stateroom.
- Separate shower stall w/ clear acrylic shower divider.
- *Viatera* countertop - bull nosed edge overhangs cabinet below w/ designer sink & faucet.
- Ventilation fan.
- Storage lockers.
- Custom tile in head compartment & shower sole.
- Stainless steel towel bars
- Wood trimmed mirror over sink.
- Heat/Air Conditioning 12kBTU (including master head).

DÉCOR

- Varnished cherry interior finish.
- Teak & holly sole w/ sealed finish throughout interior (excluding heads).
- Soft headliner panels throughout.
- Screens & accordion shades on all opening ports & hatches.
- Dovetailed & varnished maple drawer boxes throughout.

SAFETY

- Portable fire extinguishers in all accommodation spaces.
- Corrosion-proof *Marelon* sea valves on all below waterline fittings.
- Bonding system to safeguard against galvanic corrosion.
- Xintex-Fireboy automatic, clean agent fire extinguishing system in engine room w/ manual override.
- Fire suppression system includes automatic shut-down of engines, generator, & engine room ventilation blowers.
- (3) Automatic electric bilge pumps.
- (3) Bilge high water alarms.

OPTIONS

- Central vacuum system.
- Conventional convection-style microwave in lieu of drawer microwave.
- *Wolfe* "speed oven" in lieu of drawer microwave.
- *FreedomLift* tender lift & storage system.
- Full spectrum color underwater lights.
- Hydraulic swim platform.
- Navigational electronics prewire.
- Base or Premium Navigation electronics package.
- Premium Entertainment package.
- *Seakeeper* 14 or 18 gyro stabilizers.
- Dual shore power inlets at bow with 50ft. cord sets.
- Stereo zones in all cabins.
- Natural or faux teak decking in cockpit.

These specifications are subject to change without notice.

Revised May 16, 2025